


# MANUAL TRANSAXLE ASSEMBLY

## COMPONENTS

MX01F–03




Reverse Shift Fork
Straight Screw Plug
★ 25 (250, 18)
Snap Ring
Seat
Spring
Ball
17 (175, 13)
★ 25 (250, 18)
★ 16 (160, 12)
Reverse Shift Arm Bracket
No. 3 Gear Shift Fork Shaft
★ 16 (160, 12)
Reverse Idler Gear
No. 3 Gear Shift Fork
Thrust Washer
Reverse Idler Gear Shaft
Snap Ring
★ 25 (250, 18)
★ 29 (300, 22)
◆ Gasket
No. 2 Gear Shift Fork Shaft
No. 1 Gear Shift Fork
No. 1 Gear Shift Fork Shaft
No. 1 Gear Shift Head
Snap Ring
★ 16 (160, 12)
Output Shaft Assembly
No. 2 Gear Shift Fork
★ 16 (160, 12)
Snap Ring
5th Driven Gear
6th Driven Gear
Output Shaft Rear Radial Ball Bearing
Snap Ring
Input Shaft Assembly
Spacer
Snap Ring
No. 3 Synchronizer Ring (For 6th Gear)
Rear Bearing Retainer
★ 27 (280, 20)
x 5
Spacer
Needle Roller Bearing
Spacer
Needle Roller Bearing
Snap Ring
No. 3 Synchronizer Ring (For 5th Gear)
6th Gear
5th Gear
No. 3 Hub Sleeve
Input Shaft Rear Radial Ball Bearing
Shifting Key Spring
No. 3 Clutch Hub
Snap Ring
No. 3 Shifting Key
Snap Ring
Shifting Key Spring
N·m (kgf·cm, ft·lbf) : Specified torque
◆ Non–reusable part
★ Precoated part
Y
D06024


★ 20 (200, 14)
Control Shaft Cover
◆ Gasket
Back–Up Light Switch
40 (410, 30)
No. 3 Select Spring Seat
Snap Ring
Straight Screw Plug
★ 39 (400, 29)
17 (175, 13)
◆ Gasket
Compression Spring
Compression Spring
Oil Receiver Pipe
Lock Ball Assembly
★ 29 (300, 22)
Straight Screw Plug
★ 13 (130, 9)
Select Spring Seat
Shift and Select Lever Shaft Assembly
Oil Receiver Pipe
17 (175, 13)
Transmission Case
Plug
39 (400, 29)
◆ Gasket
Transmission Case Cover
Filler Plug
39 (400, 29)
◆ Gasket
29 (300, 22)
x 13
◆ Bushing
◆ Oil Seal
Dust Boot
18 (185, 13)
x 9
◆ Gasket
Lever Lock Pin
Drain Plug
39 (400, 29)
Control Shaft Assembly
25 (250, 18)
Control Shift Lever
Wave Washer
12 (120, 9)
12 (120, 9)
Selecting Bellcrank Assembly
Control Bellcrank Dust Cover
Wave Washer
12 (120, 9)
N·m (kgf·cm, ft·lbf) : Specified torque
◆ Non–reusable part
★ Precoated part
Apply MP grease
D06025